

FortiGate/FortiWiFi® 30E

Enterprise Branch Secure SD-WAN Unified Threat Management



The FortiGate 30E series offers an excellent network security solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protect against cyber threats with industry-leading secure SD-WAN in a simple, affordable and easy to deploy solution.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Detects unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers Industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as UTM and Secure SD-WAN

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces	
950 Mbps	300 Mbps	200 Mbps	150 Mbps	Multiple GE RJ45 WiFi Variants	

Refer to specification table for details

DEPLOYMENT




Unified Threat Management (UTM)


- Consolidated security and networking for small businesses
- Consistently top-rated protection to stop threats
- Integrated wired and wireless networking to simplify IT
- Purpose-built hardware for industry best performance
- Cloud management for easy administration



- Secure direct Internet access for Cloud Applications for improved latency and reduced WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero Touch deployment



FortiWiFi 30E deployment in small office (UTM)




FortiGate 30E deployment in branch office (Secure SD-WAN)


2 www.fortinet.com

HARDWARE

FortiGate 30E



FortiWiFi 30E



Interfaces

- 1. USB Port
- 2. Console Port
- 3. 1x GE RJ45 WAN Port
- 4. 4x GE RJ45 Switch Ports

Interfaces

- 1. USB Port
- 2. Console Port
- 3. 1x GE RJ45 WAN Port
- 4. 4x GE RJ45 Switch Ports

Install in Minutes with FortiExplorer

The FortiExplorer wizard enables easy setup and configuration coupled with easy-to-follow instructions. FortiExplorer runs on popular mobile devices like Android and iOS. Using FortiExplorer is as simple as starting the application and connecting to the appropriate USB port on the FortiGate. By using FortiExplorer, you can be up and running and protected in minutes.

Wireless and 3G/4G WAN Extensions

The FortiGate supports external 3G/4G modems that allow additional or redundant WAN connectivity for maximum reliability. The FortiGate can also operate as a wireless access point controller to further extend wireless capabilities.

Compact and Reliable Form Factor

Designed for small environments, you can simply place the FortiGate/FortiWiFi 30E on a desktop. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Superior Wireless Coverage

A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 30E and provides speedy 802.11n coverage on both 2.4 GHz and 5 GHz bands. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.

FORTINET SECURITY FABRIC

Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiManager FortiManager FortiSIEM FortiSIEM FortiGateVM FortiGate FortiGate FortiGate FortiManager FortiSIEM FortiGateVM FortiGateVM FortiManager FortiGateVM FortiManager FortiGateVM FortiManager FortiGateVM

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next-generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100,
 AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

4 www.fortinet.com

SPECIFICATIONS

	FORTIGATE 30E	FORTIWIFI 30E
Hardware Specifications		
GE RJ45 Switch Ports	4	
GE RJ45 WAN Port	1	
USB Port	1	
Console (RJ45)	1	
Wireless Interface	_	802.11 a/b/g/n
System Performance — Enterprise Traffic Mix		
IPS Throughput ²	300	Mbps
NGFW Throughput ^{2,4}	200	Mbps
Threat Protection Throughput ^{2,5}	150	Mbps
System Performance		
Firewall Throughput	950 N	Mbps
Firewall Latency (64 byte UDP packets)	130	μS
Firewall Throughput (Packets Per Second)	180 k	<pre><pre></pre></pre>
Concurrent Sessions (TCP)	900,	000
New Sessions/Second (TCP)	15,0	000
Firewall Policies	5,0	00
IPsec VPN Throughput (512 byte) 1	75 N	lbps
Gateway-to-Gateway IPsec VPN Tunnels	20	0
Client-to-Gateway IPsec VPN Tunnels	25	0
SSL-VPN Throughput	35 N	lbps
Concurrent SSL-VPN Users	80)
(Recommended Maximum, Tunnel Mode)		
SSL Inspection Throughput (IPS, avg. HTTPS) ³	125 N	Mbps
SSL Inspection CPS (IPS, avg. HTTPS) ³	12	0
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	45,0	000
Application Control Throughput (HTTP 64K) ²	400 N	/lbps
CAPWAP Throughput (HTTP 64K)	850 N	/lbps
Virtual Domains (Default / Maximum)	5/	5
Maximum Number of Switches Supported	8	
Maximum Number of FortiAPs (Total / Tunnel Mode)	2/	2
Maximum Number of FortiTokens	20)
Maximum Number of Registered FortiClients	20	0
High Availability Configurations	Active/Active, Active	e/Passive, Clustering

	FORTIGATE 30E	FORTIWIFI 30E		
Dimensions				
Height x Width x Length (inches)	1.61 x 8.27 x 5.24			
Height x Width x Length (mm)	41 x 210 x 133			
Weight	1.982 lbs (0.899 kg)	2.008 lbs (0.911 kg)		
Form Factor	Desktop			
Environment				
Power Required	100-240V AC, 60-50 Hz (External DC Power Adapter)			
Maximum Current	100V / 0.6A, 240V / 0.4A			
Power Consumption (Average / Maximum)	13 / 15 W	19 / 16 W		
Heat Dissipation	EO DTILI	66 BTU/h		
Operating Temperature	32_104°F (0_40°C)			
Storage Temperature	-31_158°F (-35_70°C)			
Humidity				
Noise Level	Fan-less O dBA			
Operating Altitude	Up to 7,400 ft (2,250 m)			
Compliance				
Regulatory Compliance	FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB			
Certifications				
	ICSA Labs: Firewall, IPsed	c, IPS, Antivirus, SSL-VPN		

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware. Protection enabled.

ORDER INFORMATION

Product	SKU	Description
FortiGate 30E	FG-30E	5x GE RJ45 ports (Including 1x WAN port, 4x Switch ports), Maximum managed FortiAPs (Total / Tunnel) 2 / 2.
FortiWiFi 30E	FWF-30E	5x GE RJ45 ports (Including 1x WAN port, 4x Switch ports), Wireless (802.11a/b/g/n), Maximum managed FortiAPs (Total / Tunnel) 2 / 2.
Optional Accessory		
Rack Mount Tray	SP-RACKTRAY-01	Rack mount tray for supported products.



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiCASB SaaS-only Service ^			•
FortiGuard Industrial Service ^			•
FortiGuard Security Rating Service* ^			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR*, Virus Outbreak Protection* and FortiSandbox Cloud Service*	•	•	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

 * Available when running FortiOS 6.0.1 and above $\,^{\wedge}$ With new Q3-2018 SKUs



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 8 Temasek Boulevard #12-01 Suntec Tower Three Singapore 038988 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2018 Forfinet, Inc. All rights reserved. Forficate®, Forficate®, Forficate®, Forficate® and Forficard®, and certain other marks are registered trademarks of Forfinet, Inc., in the U.S. and other jurisdictions, and other Forfinet names herein may also be registered and/or common law trademarks of Forfinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Forfinet, and Forfinet disclaims all warranties, whether express or implied, except to the extent Forfinet network environments and other results may vary. Network variables, different network environments and other conditions may affect performance metrics and, in such event, only the specification is such binding varieties. To expressly identified certify, and is a contract, signed by Forfinet's General Coursel, with a purchase that expressly warrant will be limited to expressly described certify, and such variety warrant will be limited to performance metrics and, in such event, only the specification is such binding varieties. In one went does Forfinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Forfinet disclaims in full any covenants, representations, and guarantees pursuant heretor, whether express or implied. Forfinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FGRWF-30E-DAF-R17-201808