EB-5530U

DATASHEET / BROCHURE













Excellent value entry-level installation projector with outstanding 5,500-lumen brightness, WUXGA sharpness and excellent connectivity.

The EB-5530U has been designed as an entry-level installation projector for boardrooms and classrooms, offering outstanding performance and wide-ranging connectivity options for an affordable price. On top of this, 10,000-hour lamp life¹ and great value consumables result in a very low TCO.

Affordable 5,500-lumen performance

The EB-5530U offers impressive 5,500-lumen brightness and better than HD WUXGA resolution at an entry-level price, so you can display sharp, bright text images and videos, even in well-lit rooms, without having to pay a premium price. Improved colour and purer whites mean presentations that will really stand out.

Extensive connectivity options

Boasting HDBaseT for straightforward wired connection over a single cable, plus Miracast/WiDi for instant wireless connectivity via tablet or smartphone and two HDMI sockets, the EB-5530U offers a comprehensive array of connection options.

Reliable and durable

The hardwearing EB-5530U is designed to offer up to 10,000 hours of maintenance-free use in Eco Mode. Added to a low replacement lamp cost and the entry-level price, this makes for a very affordable TCO.

Easy, flexible installation

Horizontal and vertical lens shift with improved zoom and focusing make the EB-5530U very easy to install, and allow for a great deal of flexibility in mounting, making the projector suitable for a huge range of different rooms.

KEY FEATURES

- 5,500-lumen brightness
 Crisp images and bright colours, even in well-lit rooms
- WUXGA resolution
 Sharp HD picture for excellent readability
- HDBaseT and Miracast
 Wide-ranging wired and wireless
 connection options
- Up to 10,000-hour Eco Mode lamp life Reliable, durable performance means a low TCO
- Easy installation
 Wide lens shift and central lens for easy installation





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology LCD Panel 0.76 inch with C2 Fine

IMAGE

Colour Light Output 5,500 lumen- 3,700 lumen (economy) in accordance with IDMS15.4

White Light Output 5,500 lumen - 3,700 lumen (economy) in accordance with ISO 21118:2012

Resolution WUXGA, 1920 x 1200, 16:10

Aspect Ratio 16:10 Contrast Ratio 15,000 : 1

_amp 300 W, 5,000 h durability, 10,000 h durability (economy mode)

Keystone Correction Manual vertical: \pm 30 °, Manual horizontal \pm 30 °

Colour Processing 10 Bits

Colour Reproduction upto 1.07 billion colours

OPTICAL

 Projection Ratio
 1.26 - 2.30:1

 Zoom
 Manual, Factor: 1 - 1.8

 Projection Lens Zoom Ratio
 1.26 - 2.3 : 1

Lens Optical

Lens Shift Manual - Vertical ± 50 %, horizontal ± 10 %

 Image Size
 50 inches - 300 inches

 Projection Distance Wide
 1.4 m - 8.4 m

 Projection Distance Tele
 2.5 m - 15 m

 Projection Lens F Number
 1.65 - 2.55

 Focal Distance
 21.34 mm - 37.99 mm

Focus Manual

CONNECTIVITY

Interfaces USB 2.0 Type A, USB 2.0 Type B (Service Only), RS-232C, Wireless LAN IEEE 802.11a/b/g/n

(optional), VGA in, VGA out, HDMI in (2x), HDBaseT, Miracast

ADVANCED FEATURES

Security Kensington lock, Security bar, Wireless LAN unit lock, Password protection Video Colour Modes Cinema, Dynamic, Presentation, sRGB, DICOM SIM, Multi Projection

Projector control via: AMX, Crestron, Control4

GENERAL

Energy Use 411 W, 309 W (economy), 0.34 W (standby), On mode power consumption as defined in JBMS-

84 370 W

Supply Voltage AC 110 V - 240 V, 50 Hz - 60 Hz

Product dimensions 472 x 354 x 159 mm (Width x Depth x Height)

Product weight 6.9 kg

Noise Level Normal: 38 dB (A) - Economy: 28 dB (A)

Temperature Storage -10° C - 60° C

Humidity Operation 20% - 80%, Storage 10% - 90% Options Document camera, Wireless LAN unit

Colour Whit

OTHER

Warranty 36 months Carry in or 8,000 h, Lamp: 12 months or 1,000 h

Optional warranty extension available

EB-5530U

WHAT'S IN THE BOX

- CD Manual
- Cable cover
- User manual
- Remote control incl. batteries
- Software (CD)
- Power cable
- VGA cable



OPTIONAL ACCESSORIES

● ELPLP95

V13H010L95

- HDBaseT Transmitter ELPHD01 V12H547040
- Air Filter ELPAF45V13H134A45
- Wireless LAN Adapter ELPAP10

V12H731P01

- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Mount (White) ELPMB22 V12H003B22
- Control and Connection Box ELPCB03 V12H927040
- Control and Connection Box ELPCB03 V12H927040DA

LOGISTICS INFORMATION

SKU	V11H824040 V11H824041
EAN code	8715946624334
Country of Origin	China
Layer	2 Units



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)

Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. 10,000-hour lamp life based on using projector in Eco Mode.

EB-5530U

